

Taylor Made Systems Glass Sizes

α represents Popular corners

Toughened Glass Corner shape code	Front Rake Angle	Min. Windshield Width with no fixed centre or door	Bottom Chord Width	Top Chord Width	Front Vertical Height	Front Slant Height	Wing Vertical Height	Wing Slant Height	Veve Depth	Wing Setback Angle	Wing Tumble Angle	Bottom Corner Radius
EL70R22	21.977	1774	887	732	349	881	295	793	1287	31	27	Elliptical
UG	25	2096	1048	956	495	1172	419	983	867	26	18	902
900	26	3133	1567	1487	527	1198	449	960	1107	28	10	0
910	26	2219	1109	1030	525	1194	449	957	1083	28	10	0
930	26	2873	1436	1357	527	1198	449	960	1108	28	10	0
VG	28	α 1321	660	610	333	679	295	635	495	28	15	254
VH	28	1422	711	660	333	679	295	635	495	28	15	254
VH+	28	α 1422	711	660	381	787	302	635	495	28	15	254
VH+2	28	1422	711	635	375	781	292	622	518	28	15	254
VJ	28	1524	762	711	333	679	295	635	495	28	15	254
VK	28	1676	838	787	333	679	295	635	495	28	15	254
CD10	28	1656	828	N/A	342	705	N/A	N/A	2415	N/A	22	0
VHCC	28	1397	699	648	336	712	310	659	465	29.34	9.06	254
VH+CC	28	1422	711	660	333	679	295	635	495	28	15	254
VJCC	28	α 1524	762	711	333	679	295	635	495	28	15	254
VKCC	28	1676	838	787	333	679	295	635	495	28	15	254
UH+2	28	1422	711	635	378	784	292	622	518	29	15	254
400	28	1448	724	641	326	696	298	628	523	30	22	0
405	28	1472	736	684	326	667	267	579	479	30	22	0
410	28	1576	788	719	332	694	314	680	477	30	22	0

Taylor Made Systems Glass Sizes

415	28	1581	791	759	311	662	274	582	471	30	22	0
420	28	1568	784	680	335	695	316	652	546	30	22	0
430	28	1404	702	641	344	715	326	705	475	30	22	0
440	28	1661	830	803	328	706	318	704	410	30	22	0
450	28	1321	660	622	315	662	281	593	464	30	22	0
460	28	1447	723	665	316	661	293	612	475	30	22	0
470	28	1395	698	674	318	661	284	602	406	30	22	0
495	28	1435	717	649	366	767	343	678	464	30	22	0
600	28	1875	937	797	424	899	329	704	767	32	30	0
605	28	1679	840	689	434	936	382	828	731	37	30	0
610	28	1721	860	732	439	921	330	731	709	32	30	0
615	28	1535	767	690	265	545	203	448	683	32	30	0
620	28	1474	737	627	345	736	305	646	701	32	30	0
615	28	1608	804	647	386	707	289	588	761	32	30	0
640	28	1491	746	634	345	736	296	634	739	32	30	0
650	28	1617	809	637	383	806	335	666	773	32	30	0
660	28	2001	1000	881	269	545	220	506	764	32	30	0
670	28	1919	960	819	333	711	304	653	767	32	30	0
680	28	1301	650	532	345	736	298	645	695	32	30	0
690	28	1645	823	700	416	875	311	701	697	32	30	0
2600	28	1484	742	622	332	722	293	633	689	32	30	0
2610	28	1566	783	663	332	722	293	633	693	32	30	0
2620	28	1517	758	636	332	722	293	633	694	32	30	0
2630	28	1387	694	573	332	722	293	633	683	32	30	0
2620	28	1517	758	636	332	722	293	633	694	32	30	0
2630	28	1387	694	573	332	722	293	633	683	32	30	0
2640	28	1634	817	643	330	718	293	632	791	32	20	0

Taylor Made Systems Glass Sizes

SK59/50	28.3	1504	752	N/A	329	699	N/A	N/A	1262	N/A	0	0
VP	28.5	1429	714	608	352	741	289	635	681	31	28	527
VQ	28.5	α 1530	765	659	352	741	289	635	691	31	28	527
EL70R30	28.5	1722	861	797	372	780	281	0	940	29	12.917	Elliptical
VPCC	28.5	1429	714	608	352	741	289	635	681	31	28	527
SA10	28.79	1700	850	798	405	820	351	711	809	29.6	8.537	Elliptical
SB10	28.797	1476	738	625	358	723	346	686	783	30.125	16.004	Elliptical
EL70RL	29	1778	889	819	381	775	314	651	965	29	20	Elliptical
EL82R	29	2083	1041	946	432	883	324	670	978	29	12	Elliptical
EL88RL	29	2235	1118	991	454	879	391	635	1162	37	26	Elliptical
EL96R	29	2426	1213	1095	514	1010	391	635	1165	37	26	Elliptical
EL96RL	29	2426	1213	1095	454	879	391	635	1165	37	26	Elliptical
HB65CC	29	1645	822	635	406	806	422	730	765	35.5	27.5	Hyperbolic
UB	29	1651	826	708	537	1064	470	953	924	30	15	330
UB(V)	29	1651	826	708	537	1064	470	953	622	30	15	13
UE	29	1651	826	746	457	911	397	797	622	30	15	330
UEN	29	1524	762	686	457	911	397	797	616	30	15	330
EL82R30	29.4	2083	1041	978	449	889	327	0	950	29.6	11.216	Elliptical
VW	29.5	1543	772	718	384	756	368	692	538	31	28	527
700	29.5	2300	1150	1085	482	982	382	761	980	32	15	0
710	29.5	2185	1093	1054	424	864	322	620	947	32	15	0
720	29.5	1844	922	883	422	860	322	620	937	32	15	0
725	29.5	1704	852	836	422	793	422	354	889	35	15	0
730	29.5	2023	1011	937	475	960	393	745	984	35	15	0
CA40	30	1650	825	N/A	379	722	N/A	N/A	2289	N/A	0	Elliptical
CA50	30	1682	841	N/A	380	721	N/A	N/A	2283	N/A	0	Elliptical
CF10	30	1650	825	N/A	413	792	N/A	N/A	2376	N/A	0	Elliptical

Taylor Made Systems Glass Sizes

CF20	30	1753	876	N/A	413	792	N/A	N/A	2376	N/A	0	Elliptical
EL56	30	1422	711	587	378	737	343	645	778	36	20	Elliptical
HB66CC	30	1689	845	738	368	699	343	597	806	35	18.5	Hyperbolic
2200	30	1432	716	661	342	692	295	563	571	32	15	0
WB-C1	30	1594	797	0	352	708	0	0	0	0	0	0
WB-C2	30	1308	654	0	330	657	0	0	0	0	0	0
WB-C3	30	1702	851	0	352	708	0	0	0	0	0	0
WB-C4	30	1568	784	0	406	708	0	0	0	0	0	0
CA10	30.5	1651	826	N/A	406	792	N/A	N/A	2235	N/A	13.5	0
CA20	30.5	1610	805	N/A	375	737	N/A	N/A	2032	N/A	13.5	0
EL92R	30.5	2286	1143	1073	467	889	333	664	1000	31	12	Elliptical
HT58LOW	30.756	1466	733	672	437	853	434	0	542	31	7.974	0
HT58HIGH	30.8	1466	733	672	513	1003	511	0	542	31	7.974	0
HT62HIGH	30.8	1568	784	712	513	1001	511	0	559	31	7.974	0
HT62LOW	30.819	1568	784	723	436	851	434	0	546	31	7.974	0
EL58	31	1467	733	645	362	673	327	629	552	31	15	Elliptical
EL96RPlus	31	2405	1202	1080	549	1067	376	0	1168	36	18.312	Elliptical
133	31	1421	710	638	370	697	266	528	617	30	20	0
EL91	31.09	2306	1153	1004	662	1250	591	983	1306	36.975	14.131	Elliptical
EL58CC	31.2	1467	733	644	361	699	325	0	554	31.63	15.3	Elliptical
EL84VH22	31.3	2134	1067	951	568	1092	568	0	1181	36.9	13.32	Elliptical
EL85	31.5	2159	1080	1003	381	699	311	584	1118	34	15	Elliptical
EL85L	31.5	2159	1080	1003	381	699	270	508	1118	34	15	Elliptical
VM	32	1645	822	737	394	705	330	578	629	34	15	0
VN	32	1492	746	660	394	705	330	578	629	34	15	0
2160	32	1544	772	N/A	398	695	N/A	N/A	506	N/A	25	0
2170	32	1578	789	N/A	398	703	N/A	N/A	513	N/A	25	0

Taylor Made Systems Glass Sizes

EL84	32	2140	1070	991	413	772	356	635	889	35	12	Elliptical
UM	32	1657	829	743	400	718	333	597	635	34	15	330
UN	32	1505	752	667	400	718	333	597	635	34	15	330
105	32	1563	781	721	411	743	346	663	590	34	20	0
110	32	1444	722	670	322	598	298	547	605	34	20	0
115	32	1394	697	649	364	653	292	559	578	34	20	0
120	32	1640	820	778	322	598	287	544	579	34	20	0
125	32	2197	1098	1053	210	395	198	374	621	34	20	0
130	32	1422	711	628	390	727	346	630	617	34	20	0
135	32	1416	708	642	336	616	258	500	589	34	20	0
136	32	1517	759	693	337	623	258	500	594	34	20	0
155	32	1685	842	743	445	836	380	700	665	34	20	0
160	32	1529	765	714	349	652	309	575	586	34	20	0
165	32	1685	843	735	477	896	412	759	665	34	20	0
170	32	1634	817	710	476	896	412	767	661	34	20	0
175	32	1770	885	830	320	593	237	448	621	34	20	0
180	32	1508	754	681	385	724	322	607	615	34	20	0
190	32	1625	813	747	386	709	322	607	611	34	20	0
800	32	2115	1058	950	369	710	324	595	831	35.5	20	0
810	32	1630	815	710	362	712	327	595	808	35.5	20	0
820	32	1681	840	758	375	709	326	596	764	35.5	20	0
830	32	1584	792	679	375	702	321	587	863	35.5	20	0
840	32	1942	971	907	375	707	262	473	801	35.5	20	0
850	32	2161	1080	1008	369	700	241	447	845	35.5	20	0
855	32	1910	955	886	364	654	252	313	713	35.5	20	0
860	32	1786	893	800	375	709	326	596	789	35.5	20	0
870	32	1597	798	743	378	691	262	473	769	35.5	20	0

Taylor Made Systems Glass Sizes

2100	32	1466	733	649	344	685	307	622	575	34	25	0	
2110	32	1664	832	732	344	685	307	622	610	34	25	0	
2120	32	1474	737	681	344	685	307	622	535	34	25	0	
2155	32	1521	761	645	372	651	315	551	599	34	25	0	
2800	32	1584	792	679	375	702	320	587	863	35 1/2	20	0	
2830	32	1673	836	716	373	707	312	587	821	35.5	20	0	
CG10	33	1742	871	N/A	387	691	N/A	N/A	1916	N/A	0	Elliptical	
CG20	33	1616	808	N/A	387	691	N/A	N/A	1912	N/A	0	Elliptical	
EL69	33	1697	848	756	448	800	362	644	904	34.2	14.361	Elliptical	
UA*	33	□	2375	1187	1051	572	1029	518	841	924	35	15	330
UC*	33	□	2032	1016	873	572	1029	518	841	924	35	15	330
UE+*	33	□	1626	813	721	518	921	457	832	606	34	11.5	330
UH	33		2235	1118	1003	406	695	324	564	705	35	20	381
EL66	33.23		1661	830	734	470	859	381	0	909	34.6	14.2	Elliptical
CB10	33.3		1622	811	N/A	346	610	N/A	N/A	2089	N/A	0	0
EL80	33.34		2025	1012	943	749	1346	622	0	533	23.24	5.63	Elliptical
VL	33.5		1600	800	743	422	743	413	718	470	35.25	8.5	254
EL57	33.5		1480	740	660	364	635	308	537	537	35.051	14.48	Elliptical
EL72	33.5		1816	908	810	470	854	400	689	921	35.25	15	Elliptical
EL75	33.5		1892	946	870	470	819	378	670	886	34	11	Elliptical
EL97H	33.5	□	2451	1226	1133	654	1184	545	981	1203	34	9.5	Elliptical
HT90L	33.586		2289	1144	1062	673	1214	713	0	881	34.027	6.588	0
V8 25.5R	34		1295	648	603	330	606	314	559	352	35	15	203
V8 28R	34		1448	724	670	330	606	314	559	352	35	15	203
SK59/48	34	□	1499	749	N/A	359	648	N/A	N/A	1238	N/A	16	0
EL76	34		1918	959	879	511	883	441	768	876	35	10	Elliptical
PB28	34		1416	708	632	349	610	279	498	638	35.5	15.5	Parabolic

Taylor Made Systems Glass Sizes

PB32	34	1624	812	734	355	632	286	0	648	34.629	15.262	Parabolic
PB30	34	1518	759	683	349	610	279	498	645	35.5	15.5	Parabolic
PB104	34	2642	1321	1194	591	1026	524	927	835	35.5	13.5	Parabolic
V8 30	34.7	1512	756	668	354	622	354	622	432	35.5	16.249	203
SD10	34.779	2796	1398	1299	665	1154	584	0	1318	0	0	Elliptical
HT91	35	2273	1137	1045	762	1327	832	1438	889	35	8	343
501 W	35	1567	784	N/A	411	692	N/A	N/A	1169	N/A	15	0
502 W	35	1418	709	N/A	348	589	N/A	N/A	1292	N/A	15	0
CE10	35	1466	733	N/A	401	680	N/A	N/A	1057	N/A	0	0
SH10	35	1597	798	N/A	397	677	N/A	N/A	1546	N/A	14.7	Elliptical
EL78	35	1969	984	895	457	819	387	673	876	35	12	Elliptical
EL82	35	2083	1041	946	508	889	445	781	889	35	20	Elliptical
EL92	35	2324	1162	1073	527	889	445	781	902	35	12	Elliptical
UC+	35	2045	1022	921	587	997	537	918	810	36.5	11	330
UK	35	2083	1041	953	378	667	330	552	705	37	15	381
500	35	1375	687	632	363	617	308	518	508	37	15	0
505	35	1470	735	678	363	628	315	542	474	37	15	0
510	35	1414	707	651	361	629	321	540	512	37	15	0
515	35	1338	669	627	346	603	300	507	483	37	15	0
520	35	1548	774	742	363	633	352	597	446	37	15	0
525	35	1525	762	664	436	761	421	712	525	37	15	0
530	35	1468	734	725	386	693	345	603	407	37	15	0
535	35	1323	661	639	346	603	185	324	435	37	15	0
536	35	1528	764	725	370	668	214	369	502	37	15	0
540	35	1318	659	618	332	578	295	499	464	37	15	0
545	35	1481	741	691	415	710	375	627	475	37	15	0
550	35	1643	821	753	341	602	302	511	567	37	15	0

Taylor Made Systems Glass Sizes

555	35	1307	653	615	344	606	314	540	455	37	15	0
565	35	1865	932	865	447	764	422	714	512	37	15	0
575	35	1496	748	677	346	606	314	540	524	37	15	0
580	35	1368	684	654	393	695	311	530	473	37	15	0
581	35	1490	745	666	403	678	308	536	522	37	15	0
585	35	1600	800	724	382	693	314	533	539	37	15	0
590	35	1522	761	723	346	606	314	540	463	37	15	0
595	35	1560	780	712	443	764	422	714	498	37	15	0
SC10	35	1824	912	816	440	758	355	889	711	35	14.9	Elliptical
WB-M1	35	1207	603	0	340	594	0	0	0	0	0	0
WB-M2	35	1403	702	0	343	597	0	0	0	0	0	0
WB-M3	35	1454	727	0	397	692	0	0	0	0	0	0
WB-M4	35	1461	730	0	476	829	0	0	0	0	0	0
WB-M5	35	2026	1013	0	356	619	0	0	0	0	0	0
WB-M6	35	2032	1016	0	429	749	0	0	0	0	0	0
WB-M7	35	1060	530	0	330	575	0	0	0	0	0	0
WB-M10	35	1264	632	0	352	613	0	0	0	0	0	0
WB-M11	35	1168	584	0	330	575	0	0	0	0	0	0
WB-M12	35	1168	584	0	327	572	0	0	0	0	0	0
WB-M16	35	1753	876	0	454	794	0	0	0	0	0	0
WB-M19	35	1556	778	0	476	813	0	0	0	0	0	0
WB-M24	35	826	413	0	340	594	0	0	0	0	0	0
WB-M25	35	2026	1013	0	356	619	0	0	0	0	0	0
WB-M26	35	1600	800	0	460	838	0	0	0	0	0	0
WB-M35	35	1403	702	0	343	597	0	0	0	0	0	0
WB-M36	35	1168	584	0	340	594	0	0	0	0	0	0
WB-M39	35	1334	667	0	368	645	0	0	0	0	0	0

Taylor Made Systems Glass Sizes

WB-M41	35		1276	638	0	391	679	0	0	0	0	0	0
WB-M42	35		1289	645	0	391	679	0	0	0	0	0	0
VA	37	α	1321	660	584	400	635	324	540	546	40	15	330
VB	37	α	1422	711	635	400	635	324	540	546	40	15	330
VE	37		1524	762	686	400	635	324	540	546	40	15	330
VF	37	α	1676	838	737	400	635	311	540	546	40	15	330
SK56/20	38.5		1422	711	N/A	394	649	N/A	N/A	502	N/A	0	0
302X39W	39		1538	769	N/A	386	584	N/A	N/A	696	N/A	0	0
VEPLUS	39.5		1490	745	671	417	635	343	0	564	40.36	12.6	0
EL78R40	39.917		1962	981	907	442	689	432	0	775	40.4	9.746	Elliptical
V8 26	40	α	1334	667	591	368	584	324	502	356	41	15	203
V8 28	40	α	1435	718	591	368	584	324	502	356	41	15	203
SK60/42	40		1537	768	N/A	432	648	N/A	N/A	1083	N/A	21	0
SK69/41	40		1740	870	N/A	432	711	N/A	N/A	1041	N/A	21	0
HT80	42	α	2032	1016	873	711	1067	711	1041	787	44	13	330
HT94	42		2375	1187	1051	711	1067	711	1041	787	44	13	330
HT75	43	α	1905	953	899	610	889	617	879	635	44	13.5	330
304X43W	43		1413	706	N/A	440	638	N/A	N/A	561	N/A	3.7	0
310	43		1393	697	630	465	681	429	539	440	45	15	0
320	43		1315	657	597	463	672	417	602	425	45	15	0
330	43		1531	765	697	413	601	287	414	472	45	15	0
340	43		1856	928	872	415	605	287	415	454	45	15	0
360	43		1415	707	649	446	658	368	548	391	45	15	0
363	43		1676	838	776	491	706	446	650	414	45	15	0
380	43		1462	731	674	466	672	393	573	406	45	15	0
V8 45	44	α	1353	676	594	406	578	371	533	343	33	18	203
V845+2	44		1448	724	646	400	583	365	533	343	33	18	203

Taylor Made Systems Glass Sizes

303X45W	45	1376	688	N/A	418	565	N/A	N/A	792	N/A	15	0
307X45W	45	1512	756	N/A	478	639	N/A	N/A	568	N/A	8	0
SK56/40	45	1433	716	N/A	432	610	N/A	N/A	996	N/A	0	0
SK61/44	45	1540	770	N/A	438	603	N/A	N/A	1041	N/A	36	0
SK71/41	45	1813	906	N/A	440	603	N/A	N/A	1041	N/A	35	0
WB-P1	45	1321	660	N/A	438	594	N/A	N/A	0	N/A	0	0
WB-P4	45	1486	743	N/A	425	603	N/A	N/A	0	N/A	0	0
WB-M8	45	1302	651	0	470	664	0	0	0	0	0	0
WB-M9	45	1251	625	0	400	565	0	0	0	0	0	0
WB-M13	45	1327	664	0	460	651	0	0	0	0	0	0
WB-M14	45	1403	702	0	492	695	0	0	0	0	0	0
WB-M15	45	1803	902	0	397	559	0	0	0	0	0	0
WB-M17	45	1308	654	0	492	699	0	0	0	0	0	0
WB-M18	45	1632	816	0	381	537	0	0	0	0	0	0
WB-M20	45	1353	676	0	479	676	0	0	0	0	0	0
WB-M21	45	1537	768	0	476	660	0	0	0	0	0	0
WB-M22	45	1276	638	0	457	648	0	0	0	0	0	0
WB-M27	45	1765	883	0	432	610	0	0	0	0	0	0
WB-M28	45	1537	768	0	432	610	0	0	0	0	0	0
WB-M29	45	1276	638	0	429	610	0	0	0	0	0	0
WB-M31	45	1803	902	0	575	803	0	0	0	0	0	0
WB-M32	45	1918	959	0	467	657	0	0	0	0	0	0
WB-M33	45	1549	775	0	464	660	0	0	0	0	0	0
WB-M34	45	1137	568	0	400	565	0	0	0	0	0	0
WB-M37	45	1194	597	0	460	651	0	0	0	0	0	0
WB-M38	45	1422	711	0	457	648	0	0	0	0	0	0
WB-M40	45	1435	718	0	654	460	0	0	0	0	0	0

Taylor Made Systems Glass Sizes

WB-M43	45	1403	702	0	527	746	0	0	0	0	0	0
WB-M48	45	2305	1153	0	584	829	0	0	0	0	0	0
WB-M50	45	1194	597	0	552	778	0	0	0	0	0	0
WB-M51	45	1556	778	0	470	664	0	0	0	0	0	0
WB-M52	45	1403	702	0	470	660	0	0	0	0	0	0
SK82/40	45.5	2092	1046	N/A	438	613	N/A	N/A	1008	N/A	36.5	0
309X45W	46	1549	774	N/A	422	582	N/A	N/A	800	N/A	0	0
311X46W	46	1481	740	N/A	525	725	N/A	N/A	860	N/A	15	0
312X46W	46	1633	817	N/A	526	728	N/A	N/A	865	N/A	15	0
306X47	47	1867	933	889	423	570	368	503	356	49	15	0
HT63	50	1600	800	737	711	924	711	927	502	50	5	-
HT66	50	1670	835	772	711	924	711	927	502	50	5	-
WB-F1	50	1397	699	N/A	483	635	N/A	N/A	0	N/A	0	0
WB-F2	50	1575	787	N/A	483	635	N/A	N/A	0	N/A	0	0
WB-F5	50	1245	622	N/A	483	635	N/A	N/A	0	N/A	0	0
V35 F&S	51.25	1772	886	816	429	556	392	502	332	53	10	203
V25	52	1276	638	583	506	625	445	568	284	53	11	203
V27	52	1378	689	633	506	624	445	568	284	53	11	203
V29	52	1480	740	684	497	624	448	572	305	53	11	203
V29	52	1581	791	702	491	624	445	568	343	53	11	203
V29	52	1683	841	752	491	624	419	568	343	53	11	203
MC-10	60	901	N/A	N/A	442	502	N/A	N/A	428	N/A	10.5	0
ME-10	60	1545	N/A	N/A	472	552	N/A	N/A	264	N/A	3.7	0
MA-10	64	888	N/A	N/A	351	378	N/A	N/A	385	N/A	3	0
MB-10	64	1181	N/A	N/A	609	681	N/A	N/A	452	N/A	1	0
MB-20	64	901	N/A	N/A	414	459	N/A	N/A	448	N/A	2.7	0
MB-30	64	901	N/A	N/A	613	680	N/A	N/A	436	N/A	3.5	0

Taylor Made Systems Glass Sizes

MD-10	64	888	N/A	N/A	401	435	N/A	N/A	388	N/A	3	0
MH-10	64	1015	N/A	N/A	612	675	N/A	N/A	447	N/A	2.07	0
MH-20	64	1015	N/A	N/A	612	675	N/A	N/A	447	N/A	2.07	0
MG-10	65	1139	N/A	N/A	615	675	N/A	N/A	453	N/A	2.1	0
MG-20	65	1139	N/A	N/A	615	675	N/A	N/A	453	N/A	2.1	0
EL78RH40	40E	1956	978	892	533	787	511	737	775	40	10	Elliptical

For more information please contact:

Sandbrooks Limited
39 Noel Burnside Road
Papatoetoe
Auckland 2025
Phone: 09 278 9816